

MICROCOPY RESOLUTION TEST CHART NATIONAL HOME ACTION OF ANNUAL CONTROL



APPROVED FOR PUBLIC RELEASE DISTRIBUTION UNLIMITED

DSTZT Report No. 83-R-09 AFPEA Project No. 83-P7-129

# m-A135 748

MARY T. WYDERSKI

Mechanical Engineer
Materials Engineering Branch
HQ AFLC/DSTZT

AUTOVON 787-7445 Commercial (513) 257-7445

PACKAGING FOR THE CN-1325/ASN-108 AHRS DISPLACEMENT GYROSCOPE

HQ AFLC/DSTZ
AIR FORCE PACKAGING EVALUATION AGENCY
Wright-Patterson AFB OH 45433

November 1983



83 12 13 016

DTIC FILE COPY

### NOTICE

When government drawings, specifications, or other data are used for any purpose other than in connection with a jeffnitely related government procurement operation, the United States Government thereby incurs no responsibility whatsuever; and the fact that the government may have formulated, furnished, or in any way sunnited the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or cell any pate-ted invention that may in any way be related thereto. This report is not to be used in whole or in part for ad ertising or sales

AFPEA PROJECT NO.: 83-P7-129

TITLE: Packaging for the CN-1325/ASN-108 AHRS Displacement Gyroscope

PROJECT MONITOR: Mary T. Wyderski

### **ABSTRACT**

The Aerospace Guidance and Metrology Center (AGMC) requested an investigation of a potential packaging deficiency noted in packs for reparable gyroscopes shipped to their center from field units. The corner pads of these packs had shown significant compression as indicated by the  $3/4"-1\ 1/2"$  increase in void space above the top corner pads. Evaluation of these packs indicated that the peak acceleration experienced by the gyroscope increases in proportion to the degree of compression set occurring in the corner pads.

An alternative pack design was fabricated and evaluated to determine its ability to protect the gyroscope. Instrumented drop tests indicated the new design would provide adequate protection for this item. It was recommended that the alternative pack design be used to replace the current pack for the CN/ASN gyroscope pack.

> Accession For NTIS GRIST DTIT THE Umaine aired Justification

PREPARED BY: Wyderiki MARY T. WYDERSKI Mechanical Engineer

AF Packaging Evaluation Agency

MATTHEW A. VENETOS

Chief, Materials Engineering Branch AF Packaging Evaluation Agency

PUBLICATION DATE:

1 0 NAV tors

APPROVED\_BY

JACK E. THOMPSON

Director, Air Force Packaging

Evaluation Agency

## TABLE OF CONTENTS

	Page
Abstract	i
Table of Contents	ii
Introduction	1
Description of Test Packs/Load	1
Current Pack	1
Alternative Pack Design	1
Test Load	1
Test Equipment and Instrumentation	1
Test Procedures/Results	2
Discussion/Conclusions	2
Recommendation	2
Atch 1 - TPO 00-303-6728	3-4
Atch 2 - Description of Alternative Pack Design	5
Table I - Test Results for Current Pack Design (Two Drop Series on Bottom Face)	6
Table II - Drop Test Results for Alternative Design Pack	7
Figure 1 - Alternative Pack Cushioning System	8
Figure 2 - Convoluted Polyurethane Foam Cushion Pads	9
Report Documentation Page	10
Distribution List	11

### INTRODUCTION

Newark AFS (AGMC) reported a potential damage problem relating to the packaging currently used for the displacement gyroscope, CN-1375/ASN-108 AHRS. Inspection of packs received from field units revealed a significant amount of "set" had occurred in the cushioning system to the extent that a 3/4" - 1 1/2" void had developed in the headspace of the container. Since this amount of cushioning compression "set" could adversely effect the shock protection provided by this pack, AGMC requested an investigation to determine the cause and effect of the "set", and if necessary, the corrective measures that should be taken.

### DESCRIPTION OF TEST PACKS/LOAD

- A. <u>Current Pack</u>: Three packs were received from AGMC/DMTP, Newark AFS for evaluation. Design details and materials prescribed for these packs are provided in TPO 00-303-6728, (atch 1). These packs are required to protect the CN-1375/ASN-108 AHRS displacement gyroscope, which has a 15G fragility rating.
- B. Alternative Pack Design: This pack design utilizes the same inner and outer containers with respect to style and materials, as prescribed by TPO 00-303-6728; however, the outer RSC container is of a different size measuring 27 1/2" x 23 1/2" x 23 3/4" (inside dimensions). Design details are provided in attachment 2 and Figure 1. In contrast to the corner pad cushioning used in the current pack design, the cushioning system in the new pack employs complete encapsulation with convoluted polyurethane foam pads. The pads consist of two layers of convoluted polyurethane foam, bonded together at their flat surfaces with "74 Foam and Fabric" adhesive distributed by 3M Company, (see Figure 2).
- C. <u>Test Load</u>: A 12 1/2 pound cylindrical test load, 7" diameter, 8 1/2" length, was constructed of wood and metal sections combined to simulate the weight and form of the actual gyroscope. A cavity was provided at the geometric center of the load to provide for the mounting of accelerometers to measure shock transmitted during the drop test evaluation of the packs.

### TEST EQUIPMENT AND INSTRUMENTATION

The following equipment and instrumentation were used to conduct this study:

- 1. Oscilloscope, 4 channel storage, Tektronix, Model 564-B.
- 2. Accelerometer, tri-axial, Endevco, Model 2233E.
- 3. Amplifier (3 each), Endevco, Model 2614C.
- 4. Power Supply, Endevco, Model 2622C.
- 5. Gaynes Drop Tester, Model 125.

### TEST PROCEDURES/RESULTS:

All three TPO packs were subjected to a 30-inch free fall drop test consisting of five consecutive drops on the bottom face. Each bottom face corner pad in the three test packs experienced significant compression set as a result of this series of drops. A triaxial accelerometer was then mounted at the center of the test load. One TPO pack was subjected to two series of six drops on the bottom face. Results for the first impacts of the two series of drops were 12.2 and 14G's. However, maximum shock values of 20 and 21.4G's were obtained for the two drop series. Results are shown in Table I. The alternative pack, with the 12 1/2 pound test load, was subjected to 30-inch drop tests in accordance with Federal Test Method Standard 101B, Method 5007, Procedure B, (flat face drops). Additional 30-inch drops were also made on two diagonally opposite corners and six edges. Results of these tests are shown in Table II.

### DISCUSSION/CONCLUSIONS:

- A. It is apparent the TPO 00-303-6728 pack will not provide adequate protection for the CN/ASN gyroscope. The load supporting area of the bottom face corner pads compress and deform significantly after repeated impacting on the bottom face. As a result, the peak acceleration experienced by the pack's contents will exceed the rated fragility of 15G by at least 5G's.
- B. The redesigned pack provided 15G protection without any evidence of compression set in the cushion pads. The averages of 13.8G's for flat face drops, 15.2G's for corner drops and 14.8G's for edge drops were considered acceptable based on the rated 15G fragility for the CN/ASN gyroscope.

### RECOMMENDATION:

Replace pack (TPO 00-303-6728) presently used to package the CN/ASN gyroscope with the pack design presented in this report. Recommend test and evaluation of this container for utilization with the additional fourteen gyroscopes specified for the current TPO 00-303-6728 pack.




TABLE NUMBER ONE (CONTINUED) PO NO. CO-30 5- 6728

٥

D IN TABLE NO. 1-GROSS WEIGHT TO BE; 26.50 LES.

J

To Be; 30.50 LES DON TABLE NO. 1-GROSE WEIGHT

TABLE NO.1-GROSS WEIGHT TO BE; Z A

0

2 00-303-6728 200 6 00-10 00 -303 - 100 -303 - 100 - 303 - 303 - 100 - 303 - 303 - 100 - 303 - 3

APPLY SUBBICION CUSHIONING @ OVERITEM, TO PREVENT MOVEMENT WITHIN CARTON®. PELIGE. CUTE IN PART (2), TO BG: TWO AND ONE HALF [3> IT M CONFIGURATIONS (PICTURE). WILL VARY. APPLY WRAP (B), OVER ITEM. 

NOTES

۵

MAT'L. PEG'HTS. FOR PART (2) TO BE; POLYURETHANG POAM, TYPE-1, CLASS-2, GRADS-C, DENSITY-

MAT'L. REG'HTS. FOR CARTON () TO BE; STYLE RSC, TYPE-CF, CLASS-DOMESTIC, VARIETY-SW,. GRADE - 200 PSI. MAT'L. REG'MTS, FOR PART (B) TO BE; PRYPROPY-LENE FOAM, UNICELLULAR, RESILIENT, LOW DENSITY MATERIAL, OR EGUAL.

U

B>Centrally Locate ITEM INSIDE CARTON .

4

•

1

### DESCRIPTION OF ALTERNATIVE PACK DESIGN

### A. Outer Shipping Container:

Inside dimensions: 27 1/2" x 23 1/2" x 23 3/4"

Style: RSC

Material: V13C, doublewall, weather-resistant, corrugated fiberboard,

(PPP-B-636).

### B. Inner Container:

Inside dimensions: 12" x 8" x 8"

Style: RSC

Material: 200 psi, singlewall, domestic, corrugated fiberboard,

(PPP-B-636).

### C. Cushioning Material:

Outer shipping container: Complete encapsulation with convoluted polyurethane foam, 1.0 - 1.5 lb/ft<sup>3</sup> density, meeting requirements of MIL-P-26514, Type I, Class 2, Grade B. Pads are fabricated of two pieces of foam bonded together at the flat faces. (See Figure 2).

Inner container: Complete encapsulation with polypropylene foam, unicellular, resilient, low density (PPP-C-1752).

### Dimensions of cushion pads:

	LENGTH	WIDTH	THICKNESS
Top and Bottom	11 3/4"	7 3/4"	1/4"
Side	11 3/4"	7 3/4"	1/4"
Side	11 3/4"	7 1/4"	1/2"
End	7"	7 1/2"	1 1/2"
End	7"	7 1/2"	1 3/4"

### D. Other Packaging Materials:

Barrier: MIL-B-131; size as required to wrap around inner container.

Wrap: L-P-378; size as required to wrap around item.

<u>Tape:</u> PPP-T-76; size as required for closure of outer and inner container.

PPP-T-97; size as required for reinforcement of outer container.

ATCH 2

TABLE I - Test Results for Current Pack Design (Two Drop Series on Bottom Face)

SERIES	DROP NO.	RESULTANT PEAK ACCELERATION (Gs)
1	1	14.0
	2	17.3
	3	18.1
	4	19.0
	5	17.0
	6	20.0
2	1	12.2
	2	*
	3	19.2
	4	21.0
	5	21.4
	6	19.1

<sup>\*</sup>No value recorded, due to instrumentation failure.

TABLE II - Drop Test Results for Alternative Design Pack

Impact Face	Impact Corner (Adjacent Faces)	Impact Edge (Adjacent Faces)	Resultant Peak Acceleration (Gs)
3 (Bottom)			12.1
1 (Top)			11.7
2 (Side)			15.2
4 (Side)			12.6
5 (End)			15.8
6 (End)			15.3
	1-2-6		15.6
	3-4-5		14.7
		4-5	15.0
		2-6	14.2
		1-5	13.7
		3-6	13.9
		3-5	15.7
		1-6	16.2

Thurst of the second of the se Linning INNER CONTAINER 7.75 ± 0.25 --27.50 12.0 Alternative Pack Cushioning System 7.75 ± 0.25 8 OUTER CONTAINER 23.75 7.75 ± 0.25 Aurolay 230 8

FIGURE 1




FIGURE 2. CONVOLUTED POLYURETHANE FOAM CUSHION PADS DENSITY: 1.3 LB/FT $^3$ 

SECURITY	C: 4	SSIF	CATION	OF	THIS	PΔ	GE
36 COMII 4		3315	CALION	Ų۴	1 713		O.

	REPORT DOCUME	NTATION PAG	E		
1a REPORT SECURITY CLASSIFICATION UNCLASSIFIED		16. RESTRICTIVE MARKINGS			
28 SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/A	VAILABILITY O	FREPORT	
2b. DECLASSIFICATION/DOWNGRADING SCHED	DULE				
4 PERFORMING ORGANIZATION REPORT NUM	BER(S)	5. MONITORING OR	IGANIZATION RE	PORT NUMBERIS	}
DSTZT Report No. 83-R-09					
6a NAME OF PERFORMING ORGANIZATION Air Force Packaging	6b. OFFICE SYMBOL (If applicable)	74. NAME OF MONI	TORING ORGANI	ZATION	
Evaluation Agency	HQ AFLC/DSTZT				
6c. ADDRESS (City, State and ZIP Code)		76. ADDRESS (City,	State and ZIP Cod	e)	
Wright-Patterson AFB OH 45433					
8a. NAME OF FUNDING SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT	NSTRUMENT ID	ENTIFICATION N	JMBER
8c. ADDRESS (City, State and ZIP Code)	<u> </u>	10. SOURCE OF FUI	NDING NOS.		
·		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT
[		1			
11. TITLE Include Security Classification: Packa CN-1325/ASN-108 AHRS Displaceme					
12. PERSONAL AUTHORIS	<u>nic dy</u> roscope _	<del></del>	<u> </u>	<del></del>	<del></del>
Mary T. Wyderski	OVERED	14. DATE OF REPO	ST W. Ma Day	15. PAGE C	OUNT
	83 TO Oct 83	10 Nov 83	HI TEF, MO., Day)	15	00.41
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES	18. SUBJECT TERMS (C.	ontinue on reverse if n	ecessary and identi	fy by block number	·,
FIELD GROUP SUB. GR.	Shock protecti	on	Cushion pa		
	Gyroscope pack	aging			
19. ABSTRACT Continue on reverse if necessary and	d identify by block number	7		<del></del>	
The Aerospace Guidance and Metrology Center has been receiving reparable gyroscopes packaged in TPO 00-303-6828 packs. The load supporting surfaces of the bottom face corner pads have shown significant compression, as indicated by the 3/4" - 1 1/2" increase in void space above the top corner pads. Evaluation of these packs indicated that the peak acceleration experienced by the gyroscope increases in proportion to the degree of compression set occurring in the corner pads. An alternative pack design was fabricated and evaluated to determine its ability to protect the gyroscope. Instrumented drop tests indicated the new design would provide adequate protection for this item. It was recommended that the alternative pack design be used to replace the current pack for the CN/ASN gyroscope.					
20. DISTRIBUTION/AVAILABILITY OF ABSTRA	CT .	21. ABSTRACT SECURITY GLASSIFICATION			
UNCLASSIFIED/UNLIMITED 🗷 SAME AS RPT.	C DTIC USERS C	UNCLASSIFI	ED		
224. NAME OF RESPONSIBLE INDIVIDUAL		22b. TELEPHONE N (Include Area Co	ode)	22c. OFFICE SYM	BOL
Mary Wyderski		(513) 257-45	19	HQ AFLC/DS	TZT

DD FORM 1473, 83 APR

EDITION OF 1 JAN 73 IS OBSOLETE.

# DISTRIBUTION LIST

ADTC/SD3P Eglin AFB FL 32542	1	HQ ::TLC/DSTP Wright-Patterson AFB OH 45433	1
ADTC/YXC Eglin AFB FL 32542	1	HQ AFLC/DSTZT LIBRARY Wright-Patterson AFB OH 45433	20
AGMC/DMTP Newark AFS OH 43055	3	HQ USAF/LETT Wash DC 20330	1
AGMC/SNA Newark AFS OH 43055	1	JPMTC Aberdeen Proving Ground MD 21005	
ASD/AWL Wright-Patterson AFB OH 45433	1	NAVSUPSYSCMD	2
ASO/TEP-A-4030 700 Robbins Avenue		Attn: SUP-0321A Wash DC 20376	Ş
Philadelphia PA 19111 Aviation Supply Office	1	NWC-Earle Colts Neck NJ 07722	1
Attn: TEP-A Philadelphia PA 19111	1	OC-ALC/DSP Tinker AFB OK 73145	1
DARCOM Attn: SDSTO-T Tobyhanna PA 18466	1	OC-ALC/DSPA Tinker AFB OK 73145	1
DESC/DESC-T 1507 Wilmington Pike		OO-ALC/DST Hill AFB UT 84056	1
Dayton OH 45444	1	OO-ALC/DSTC Hill AFB UT 84056	1
DLSIE USA Logistics Management Center Attn: DRXMC-D Ft Lee VA 23801	1	SA-ALC/DSP Kelly AFB TX 78241	1
DTIC/TSR Cameron Station	·	SM-ALC/DSP McClellan AFB CA 95652	1
Alexandria VA 22314	12	US Army Armament Research & Development Command	
GSA, Office of Engineering Mgmt Packaging Division Wash DC 20406	1	Attn: DRDAR-TST-S Dover NY 07801	1
HQ DLA-OWO Cameron Station Alexandria VA 22314		US Army Natick Labs Attn: DRDNA-EPS Natick MA 01760	1
HQ AFLC/DST Wright-Patterson AFB OH 45433	1	WR-ALC/DSP Robins AFB GA 31098	ו

# END DATE

FILMED

B4 DTIC